



Kupfer-Bleche

(SF Cu W.-Nr. 2.0090)

(E Cu W.-Nr. 2.0060)

(SE Cu W.-Nr. 2.0070)

(OF Cu W.-Nr. 2.0040)

Cu DHP W.-Nr. CW 024 A

Cu ETP W.-Nr. CW 004 A

Cu HCP W.-Nr. CW 021 A

Cu OF W.-Nr. CW 008 A

Copper-Sheets

EN 1652 (DIN 1751 / 1787 / 17670)

Dicke mm	kg/ Tfl.	Abmessung mm	SF-Cu		E-Cu hh	SE-Cu hh	OF-Cu hh
			weich	hh			
0,3	5,4	1000 x 2000	●	●			
0,4	7,1	1000 x 2000		●			
0,5	9,0	1000 x 2000		●			
0,6	10,8	1000 x 2000		●			
0,7	12,5	1000 x 2000		●			
0,8	14,4	1000 x 2000		●			
0,9	16,1	1000 x 2000		●			
1,0	18,0	1000 x 2000	●	●	●		●
1,0	28,0	1250 x 2500		●			
1,2	19,7	1000 x 2000		●			
1,4	25,0	1000 x 2000		●			
1,5	27,0	1000 x 2000	●	●			●
1,5	42,0	1250 x 2500		●			
1,5	60,0	1500 x 3000		●			
1,9	33,8	1000 x 2000		●			
2,0	36,0	1000 x 2000	●	●	●		●
2,0	56,0	1250 x 2500		●			
2,0	80,0	1500 x 3000		●			
2,4	42,8	1000 x 2000		●			
2,5	44,8	1000 x 2000					●
3,0	53,7	1000 x 2000			●		●
3,0	85,0	1250 x 2500				●	
3,0	120,0	1500 x 3000				●	
4,0	72,0	1000 x 2000			●		●
4,0	112,0	1250 x 2500				●	
4,0	160,0	1500 x 3000				●	
5,0	90,0	1000 x 2000			●		●
5,0	140,0	1250 x 2500				●	
5,0	200,0	1500 x 3000				●	
6,0	108,0	1000 x 2000			●		●
6,0	240,0	1500 x 3000				●	
8,0	144,0	1000 x 2000					●
8,0	321,0	1500 x 3000				●	
10,0	180,0	1000 x 2000			●		●
10,0	400,0	1500 x 3000				●	



Alu-Bleche / Platten
Alu-Sheets / Plates

Alu-Gussplatten- / -blöcke
Alu-Cast-plates / -blocks

Alu-Stangen / Profile
Alu-Bars / Profiles

Alu-Zeichnungsprofile
Alu-Drawing-profiles

Messing
Brass

Kupfer
Copper

Bronze
Bronze

An- und Bearbeitung
Processing

Anhang
Attachment

Kupfer-Platten

(SE Cu, walzhart (W.-Nr. 2.0070)) Cu HCP (W.-Nr. CW 021 A) oder Cu PHC (W.-Nr. CW 020 A)

Copper-Plates

EN 13599 in Anl. (DIN 1787 / 40500)

Dicke mm	kg/Tfl.	Abmessung 1020 x 3020 mm	Dicke mm	kg/Tfl.	Abmessung 1020 x 3020 mm	Dicke mm	kg/Tfl.	Abmessung 1020 x 2020 mm
12,0	330,0	●	35,0	960,0	●	70,0	1285,0	●
15,0	415,0	●	40,0	1100,0	●	80,0	1470,0	●
17,0	470,0	●	45,0	1235,0	●	100,0	1835,0	●
20,0	550,0	●	50,0	1375,0	●	130,0	1210,0	1020 x 1020
25,0	685,0	●	60,0	1645,0	●	150,0	1390,0	1020 x 1020
30,0	825,0	●						

Dickentoleranz der Platten nur im Plusbereich.

Thickness Tolerance of plates always positive.

Kupfer-Nickel-Bleche

(Cu Ni 10 Fe 1 Mn W.-Nr. 2.0872) Cu Ni 10 Fe 1 Mn W.-Nr. CW 352 H

Copper-Nickel-Sheets

EN 1652 (DIN 17664 / 1751)

Dicke mm	kg/Tfl.	Abmessung 1000 x 2000 mm	Dicke mm	kg/Tfl.	Abmessung 1000 x 2000 mm
1,5	27,0	●	6,0	108,0	●
2,0	36,0	●	8,0	144,0	●
3,0	54,0	●	10,0	180,0	●
4,0	72,0	●	12,0	216,0	●
5,0	90,0	●	15,0	267,0	●



Kupfer-Rundstangen

(E-Cu W.-Nr. 2.0060) Cu-ETP W.-Nr. CW 004 A

Copper-Round-Bars

(DIN 1787 / 1756 / 17672 / 40500)



Durchmesser mm	kg/ mtr.	Durchmesser mm	kg/ mtr.	Durchmesser mm	kg/ mtr.	Durchmesser mm	kg/ mtr.
3	0,06	16	1,78	45	14,15	115	92,40
4	0,11	18	2,16	50	17,48	120	101,00
5	0,17	20	2,80	55	21,14	130	118,00
6	0,25	22	3,38	60	25,16	140	137,00
7	0,34	25	4,37	65	29,53	150	157,00
8	0,44	28	5,48	70	34,25	160	179,00
9	0,56	30	6,29	75	38,20	180	226,00
10	0,70	32	7,16	80	44,74	200	280,00
12	1,01	35	8,56	90	56,62	250	437,00
14	1,37	40	11,18	100	69,87		
15	1,57	42	12,33	110	85,00		

Kupfer-Rundstangen

(Cu Cr Zr W.-Nr. 2.1293) Cu Cr 1 Zr W.-Nr. CW 106 C

Copper-Round-Bars

EN 12163 / 12164 (DIN 17666 / 17672-73 (44759))



Durchmesser mm	kg/ mtr.	Durchmesser mm	kg/ mtr.	Durchmesser mm	kg/ mtr.
10	0,70	12	2,30	60	25,16

Andere Abmessungen und Legierungen auf Anfrage.

Other dimensions and alloys on request.



Alu-Bleche / Platten
Alu-Sheets / Plates

Alu-Gussplatten- / -blöcke
Alu-Cast-plates / -blocks

Alu-Stangen / Profile
Alu-Bars / Profiles

Alu-Zeichnungsprofile
Alu-Drawing-profiles

Messing
Brass

Kupfer
Copper

Bronze
Bronze

An- und Bearbeitung
Processing

Anhang
Attachment

Kupfer-Vierkantstangen

(E-Cu W.-Nr. 2.0060) Cu-ETP W.-Nr. CW 004 A

Copper-Square-Bars

EN 13601 (DIN 1761 / 17672 / 40500)

Abmessung mm	kg/ mtr.	Abmessung mm	kg/ mtr.	Abmessung mm	kg/ mtr.	Abmessung mm	kg/ mtr.
6 x 6	0,32	18 x 18	2,88	40 x 40	14,24	90 x 90	72,10
8 x 8	0,57	20 x 20	3,56	50 x 50	22,25	100 x 100	89,96
10 x 10	0,89	25 x 25	5,56	60 x 60	32,04		
15 x 15	2,00	30 x 30	8,01	70 x 70	43,61		
16 x 16	2,28	35 x 35	10,90	80 x 80	56,96		

Kupfer-Flachstangen

(E-Cu W.-Nr. 2.0060) Cu-ETP W.-Nr. CW 004 A

Copper-Flat-Bars

EN 13601 (DIN 1759, scharfkantig / DIN 46433, rundkantig)

Abmessung mm	kg/ mtr.	Abmessung mm	kg/ mtr.	Abmessung mm	kg/ mtr.	Abmessung mm	kg/ mtr.
10 x 3	0,27	25 x 8*	1,80	50 x 8	3,56	80 x 30	21,36
10 x 4	0,36	25 x 10*	2,25	50 x 10*	4,50	80 x 40	28,48
10 x 5*	0,45	25 x 15	3,34	50 x 12*	5,34	80 x 50	35,60
10 x 8	0,71	30 x 3	0,81	50 x 15*	6,75	100 x 5	4,50
12 x 3	0,32	30 x 4	1,08	50 x 20	8,90	100 x 8	7,28
12 x 4	0,42	30 x 5*	1,35	50 x 25	11,13	100 x 10*	9,00
12 x 5*	0,53	30 x 6*	1,62	50 x 30	13,35	100 x 12*	10,68
12 x 8	0,85	30 x 8*	2,16	50 x 40	17,80	100 x 15	13,50
12 x 10	1,07	30 x 10*	2,70	60 x 4*	2,14	100 x 20	18,00
15 x 3	0,40	30 x 12*	3,20	60 x 5*	2,70	100 x 25	22,25
15 x 4*	0,54	30 x 15	4,01	60 x 6*	3,21	100 x 30	26,70
15 x 5*	0,67	30 x 20*	5,40	60 x 8*	4,27	100 x 40	35,60
15 x 6*	0,80	35 x 3	0,94	60 x 10*	5,40	100 x 50	44,50
15 x 8	1,08	35 x 4	1,25	60 x 12*	6,41	120 x 5*	5,45
15 x 10	1,35	40 x 3	1,08	60 x 15*	8,01	120 x 10*	10,80
20 x 2	0,36	40 x 4	1,44	60 x 20	10,80	120 x 12*	12,82
20 x 3	0,54	40 x 5*	1,80	60 x 25	13,35	120 x 15*	16,02
20 x 4	0,72	40 x 6	2,16	60 x 30	16,02	120 x 20	21,36
20 x 4,5*	0,80	40 x 8	2,88	60 x 40	21,36	120 x 30	32,04
20 x 5*	0,90	40 x 10*	3,60	70 x 5*	3,12	120 x 40	42,72
20 x 6*	1,07	40 x 12*	4,27	70 x 10*	6,23	150 x 10*	13,50
20 x 8*	1,44	40 x 15	5,40	80 x 5	3,60	150 x 15	20,46
20 x 10*	1,80	40 x 20	7,20	80 x 6*	4,32	160 x 10	14,40
20 x 12*	2,14	40 x 25	8,90	80 x 8*	5,70	200 x 10*	18,00
20 x 15	2,70	40 x 30*	10,80	80 x 10*	7,12	200 x 15	26,70
25 x 3	0,68	50 x 3	1,35	80 x 12*	8,54	200 x 20	36,00
25 x 4	0,90	50 x 4*	1,80	80 x 15*	10,80		
25 x 5*	1,13	50 x 5*	2,25	80 x 20	14,24		
25 x 6*	1,34	50 x 6	2,67	80 x 25	17,80		

* rundkantig

* round edges



Kupfer-Rundrohre

(SF-Cu W.-Nr. 2.0090) Cu-DHP W.-Nr. CW 024 A

Copper-Round-Tubes

EN 1057 (DIN 1787 / 1754 / 17671)



Abmessung mm	kg/ mtr.
4 x 1,0	0,08
6 x 1,0	0,14
8 x 1,0	0,20
10 x 1,0	0,25
12 x 1,0	0,31
15 x 1,0	0,39
15 x 1,5	0,57
18 x 1,0	0,48
18 x 1,5	0,70
22 x 1,0	0,59

